

**GHARLENI**   
*MEDICAL, FEET & CARE*



Moers, Germany | Sales + Showroom // Gharieni Group GmbH Gutenbergstr. 40 D-47443 Moers

Moers, Germany | Distribution + Service // Gharieni Group GmbH Am Schürmannshütt 24 D-47441 Moers

Fon: +49- (0) 28 41 - 88 300- 300 Fax: +49- (0) 28 41 - 88 300- 333 [www.gharieni.de](http://www.gharieni.de) [info@gharieni.com](mailto:info@gharieni.com)

Ettlingen, Germany // Gharieni Süd GmbH Einsteinstrasse 24 D-76275 Ettlingen

Fon: +49-(0)72 43-33 22-363 Fax: +49-(0)72 43-33 22-391 [ettlingen@gharieni.com](mailto:ettlingen@gharieni.com)

Nederweert | The Netherlands // Gharieni Nederland BV Bronsstraat 5 NL-6031TS Nederweert

Fon: +31 (0) 495 - 63 30 36 Fax: +31 (0) 495 - 62 66 63 [www.gharieni.nl](http://www.gharieni.nl) [info@gharieni.nl](mailto:info@gharieni.nl)

Heusden-Zolder | Belgium // Danielle G Cosmetics BVBA Schaltusstraat 60 B-3550 Heusden-Zolder

Fon: +32 (0) 11 - 45 10 54 Fax: +32 (0) 11 - 45 25 90 [www.gharieni.be](http://www.gharieni.be) [info@gharieni.be](mailto:info@gharieni.be)

Belfort | France // Gharieni France SARL 6, Rue de L'étang F-90000 Belfort

Fon: +33 (0) 3 39 03 39 47 Fax.: +33 (0) 3 39 03 39 48 [www.gharieni.fr](http://www.gharieni.fr) [info@gharieni.fr](mailto:info@gharieni.fr)

Dubai | UAE // Gharieni Middle-East The Platinum Tower Cluster I- No. 2102 Jumeirah Lakes Towers, PO Box 392642

Fon: +971 (0) 4 2 76 67 34 [www.gharieni.ae](http://www.gharieni.ae) [info@gharieni.ae](mailto:info@gharieni.ae)

New York | USA // Gharieni USA 45-31 Bell Blvd. #A Bayside, NY 11361

Fon: +1-855-378-4772 Fax: +1-718-279-0500 [www.gharieni.com](http://www.gharieni.com) [info@gharieni.us](mailto:info@gharieni.us)



GREEN SPA is a sustainability initiative from the German Wellness Association for the spa and wellness sector. Our company supports the sustainable operation of spa and wellness facilities through suitable products and/or services.



## treatment beds


<b>Treatment Bed Options</b>	p. 12
<b>Terry Cloth</b>	p. 15
<b>Chiropody</b>	
SLS Podo	p. 20
SPL Podo Soft	p. 24
SPL Podo	p. 26
SL XP Podo	p. 28
SL XP Podo-Hydraulic	p. 30
LR Podo	p. 32
Lina Neo Podo	p. 34
PLS Podo XP	p. 36
PLS Podo Comfort	p. 38
PLS Podo Basic	p. 40
PLS Podo Hydraulic	p. 41
<b>Medical</b>	
SPLmed	p. 42
SLRmed	p. 44
SLRmed Dialyse	p. 46
Customising	p. 48
<b>Physiotherapy</b>	
MLK Physio	p. 50
MLS	p. 51
<b>Accessories Treatment Beds</b>	p. 52
<b>Furnishing</b>	
K9 Furniture Series	p. 56
K10 Furniture Series	p. 58

## furnishing

CL Trolley	p. 62
Laundry Trolley TK	p. 63
Square Trolley	p. 64
MLX Trolley	p. 65
MLX Display Trolley	p. 66
MLX Podo Trolley	p. 67
GlaStyle	p. 68
Rotary Design	p. 68
CabiLine	p. 69
Lamica	p. 70
Cube Select	p. 72
Podo System	p. 74
GL60 UV	p. 84
GL	p. 85
<b>Stools &amp; Chairs</b>	
Stools & Chairs + Accessories	p. 86
<b>Cases with Drill</b>	
Titan Alfa Spray Pro 40d Light	p. 94
Alfa Spray Pro 40d	p. 96
Alfa Air Pro 30d	p. 98

## devices

<b>Surgical Drills</b>	
Alfa Air QUANTUS Series	p. 100
Alfa Air D Series	p. 102
Alfa Air DS Series	p. 104
<b>WoodDecor Colour Chart</b>	p. 106
<b>Upholstery Colour Chart</b>	p. 107



# GHARIBI



# Awards

// Beauty Forum Award 2006

// Beauty Forum Readers' Choice Award 2007/2008

// Perfect Line (Poland) 2009

// Medical Design Excellence Award (USA) 2009

// Beauty Forum Readers' Choice Award 2009/2010

// Beauty Forum Award 2010/2011

// Beauty Forum Readers' Choice Award 2011/2012

// Beauty Forum Award 2012/2013

// Beauty Forum Readers' Choice Award 2013/2014

// Beauty Forum Special Award Spa International 2014

// Spa Professional Mexico 2015 Product Award for Best Spa Furniture

// DERMASCOPE Aesthetician Choice Awards 2016 - Favorite Spa Equipment

Various awards from the wellness, cosmetics and medical industries for individual products, innovative developments, the highest levels of quality, superb designs and the highest standards of service and warranty confirm our concept.



# 25 years of Gharieni a success story

Trend-setting and finest designs as well as innovations in the area of Spa, wellness, beauty and medical treatments - that's what the Gharieni Group stands for. When taking a closer look at our product portfolio today, one may hardly believe that it all began with Electro-Medical Gharieni, a purely commercial enterprise. The request for a dialysis bed "made by Gharieni" motivated us to enter business as a manufacturer in the field of "Medical", followed by more developments, which include treatment tables for aesthetic surgery and medical diagnostics as well as for physiotherapy and pedicure.

## Expanding into New Markets

The growing wellness and beauty market including its new demands and challenges made us focus our attention upon this segment. We laid the foundation stone for our economic success with quality-controlled and innovative wellness and treatment tables "made in Germany" the quality and functionality as well as the unique design of which convince our customers. The breakthrough in the field of Spa came with our first wellness table MLW Classic; this model became a bestseller which can be found in the Spa areas of top hotels all over the world until today.

## Global presence

Motivated by our growing success, we have not only opened a branch in Ettlingen for our customers in southern Germany. Gharieni branches can also be found outside of Germany - in France, the Netherlands, Belgium, Dubai and, recently, the USA.

A network of competent sales partners provides "Gharieni-quality" service and advice for international clients. Our sales partners can be contacted in important neighbouring European countries, e.g. in France, the Netherlands, Belgium, Austria, Switzerland and Poland. The constantly growing sales figures show, that we have gone down the right road.

In addition to the cooperation with our sales partners, a main focus of our activity lies on active networking on a national and an international level. For example: we do not only take an active part in large international trade fairs, but also in important Spa-events all around the world. We often support such events as a premium sponsor. The subsequent contacts enable us to discover new trends and products at an early stage. Moreover, these trade fairs and events are essential for a successful global marketing of our products.





### Unbeatable wellness-concepts

Our experts have been developing complete wellness-concepts since 2010 which include not only our treatment tables and equipment, but also complete treatment programmes including matching accessories. The launch of our Psammo-concept has been extremely successful. This wellness table is equipped with quartz sand, which offers the customer an unique relaxation experience, and has become an absolute and global Spa trend.

Another milestone was the entry into the business field of hydrotherapy. We use e.g. the highly-exclusive Corian® of the Dupont company for our HydroSpa collection to equip our products with a waterproof and seamless surface. Selected water choreographies; e.g. for our Libra models; or the highly functional multi-talent PediSpa have won loyal followers worldwide.

### Equipment according to your preferences

As customer needs and wishes are all-important for us, we not only offer an unique range of treatment tables and models but also the unique option to customize "your" treatment table optically when using our wide offer of colours and decor - this is also part of our portfolio.

Gharieni today

The Gharieni Group of today enjoys international reputation. Our products are appreciated by luxury hotels and Spas worldwide as well as by beauty clinics, small but exquisite cosmetic institutes, beauty lounges and medical practises. This reputation is both for us - an additional motivation as well as an obligation to convince the market with our high-quality products.

### Success demands more room

... we also took this issue into account last year. We were able to continue to meet the constantly rising demand on schedule by means of additional 4.500 m2 of production area in the city of Moers in the Lower Rhine region, so that we also have, in addition, the opportunity to expand production.

And there will be no standstill even this year as we are currently planning to convert our exhibition area into a Specialized Centre for Spa and practice equipment. But more details will not be revealed just yet. However, this much we can reveal: It will be interesting to see.....



# Make the right decision!

What is characteristic about a good podiatry chair? Besides individual aspects, some „basics“ are required which should be part of each treatment bed.

- The height for getting on and off is an important aspect for your short and physically handicapped customers; hence the low height should not exceed 55 cm (21.7 in).
- Modern treatment beds/ podiatry chairs are equipped with an entry/exit aid; that means, the seat will only incline slightly when entering/leaving the treatment bed/ podiatry chair.
- You should sit and stand alternately while working, so you will take care of your back and leg veins. Therefore, the minimum working height (on the heels) should be 120 cm (47.2 in) (ideally 140 cm (55.1 in)). While working, the seat is inclined rearwards, so that the body's centre of gravity is shifted. Moreover, your customer can sit more comfortably. This adjustment of the podiatry chair also provides optimal view to the plantar surface contact area of the feet while working in seated position.
- A podiatry chair must also be suitable for your heavy patients; so a good treatment chair has a proofed elevating force and load capacity of the sitting surface of 160 kg (352 lbs). Including an additional safety margin, the lifting capacity is 200 kg (440 lbs).

• You should also pay attention for the stability of the podiatry chair. Only sufficient dimensions of the substructure ensure safety against overturning of the chair.

- Furthermore, the casing of the base as well as the back of the podiatry chair should be designed easy-to-clean so they always are completely hygienic.
- Up-to-date treatment beds/podiatry chairs are equipped with motors so your back is not any longer stressed by adjusting in bended position. The minimum equipment includes two motors for automatic adjustment of the height and inclination; - besides, your customer will enjoy a permanent comfortable and ergonomic sitting position only if these two motors operate synchronously.
- Comfort-treatment beds are equipped with three additional motors which allow you to control (steplessly-adjustable) the backrest as well as the left and the right leg rest. The wireless hand control panel and the foot control panel make the motors easy to control when you want to work with your hands free. Always ensure that the control panels are easy to operate. Moreover, memory positions of treatment positions can be programmed/recalled via the foot control panel. Relevant functions are a useful alternative from three motors up. The freely selectable memory positions you can set in this way will also make daily tasks easier.

• Treatment beds provide more safety for elderly customers when actuators are programmed in such a way, that the treatment bed is lowered at the end of treatment, then adjusted in horizontal seat position and finally the exit support is activated.

- Podiatry chairs with two kinds of upholsteries are available on the market: Upholsteries with and without seams. Seamed upholsteries are generally thicker, partially softer and more comfortable. Which kind of upholstery you choose should depend on the kind of foot care (rather cosmetic or rather medical type). Upholsteries without seams are - unequivocally - easier and more efficiently to disinfect so they are mandatory for the podiatric praxis due to hygiene reasons.
- In addition to the standard features of podiatry chairs, many other extras are offered which allows you to „customise“ your podiatry chair according to the requests and needs of your customers.
- Laterally pivoting leg rests: To provide optimal treatment, the leg rests should be pivotable up to 90° to the outside, so you have sufficient moving space during treatment.
- Seat depth adjustment: The seat depth adjustment offers your patients greater seating comfort - regardless on the length of their legs - and, furthermore, the operator optimum comfort and ergonomics.



- Length-adjustable foot rests: These foot rests provide a sitting comfort which is independent of the size of your patients.
- Inclined headrest: Would you like to provide your customers with a more comfortable sitting (and the possibility of watching) during the treatment? A headrest which can be inclined forwards helps to support the posture of the head and avoids muscle tension. Complementary, an easy-to-install and removable neck cushion, which supports the cervical spine, is available for some podiatry chairs.
- Laterally pivoting armrests: Especially elderly people with limited mobility can enter a podiatry chair, which is equipped with these armrests, more easily. It is also important that the armrest can be tilted backwards by 180° when you want to transform your treatment chair into a massage couch.
- Mountable collecting vessels and storage shelves enable more efficient and clean working procedures.
- Rotate function: A chair-axle with rotate function enables you to turn the complete structure of the podiatry chair (and the patient) via the foot lever or by hand in any desired direction; you can also lock the position when required. This function is very useful when offering many different treatments such as foot reflexology, paraffin treatment, etc.

- What should your treatment chair provide? Is it used for foot care only? Or would you like to offer additional treatments such as massages, reflex zone therapy of the feet or cosmetic applications? In such a case, the treatment chair must be transformable into a treatment bed. Or do you want to use the treatment bed for wellness-applications mainly and for foot care only occasionally? In such a case a spa table with removable footrest is recommended so that you have free access to the feet of your customer from all sides. If you want to use the treatment chair as a massage couch, make sure that the headrest is equipped with an extendable segment or an opening for the nose to ensure that your customer, when treated in prone position, can breathe unhindered.

In addition, there are some more aspects to consider:

- Size of the treatment room: Would it be best for you to choose a space-saving model? Or should it not be a problem for you to place a large (and therefore generally more comfortable) podiatric treatment bed in your treatment room?
- Periphery of the praxis: Do you have demanding customers mainly, e.g. in a large modern city? Do you have to prevail against the competition? In such a case there are many reasons to invest in a more „luxurious“ model.

- But your praxis may also be situated in an area with low purchasing power or patients, who are interested in purposeful foot care only. In such a case you can dispense with some equipment-extras.

Important advice: Treatment beds intended for medical foot care/podiatry shall meet the medical standard EN 60601!

The standard EN 60601 defines safety requirements and ergonomic claims for medical electrical equipment and in medical systems. The standard is published as a DIN-standard by the Deutsches Institut für Normung/German Institute for Standardization in Germany. The standard is based on the IEC version IEC 60601.

A treatment chair intended for medical foot care/podiatry is subject to the Medizinproduktegesetz/ Medical Device Directive (MPG). It is a class 1 medical product. The CE-label MUST refer to the standard 60601, e.g.: „The treatment bed meets the requirements specified by EN 60601-1“ or „The treatment bed is manufactured in accordance with the standards specified by EN 60601-1 (complete quality management)“. You generally can find this necessary part of the EC-Declaration Of Conformity in the Annex of the Instruction Manual. When no reference is made in the Instruction Manual, the device is NOT a medical product!



# Treatment Beds and Multifunction Treatment Units Made in Germany



To ensure that we do justice to the „Made by Gharieni“ label, we keep to the principle of „quality without compromise“. This also entails a guarantee of quality, as only this can offer customers transparency and security to the same level. To provide you with clear facts with regard to the proof of origin and to demonstrate that social responsibility and consumer interests are of great importance to us, we have undergone a costly certification process by TÜV NORD, and since early 2012 it has been „official“: in accordance with the TÜV NORD test criteria, our treatment beds and multifunction treatment

units are now able to display the „Made in Germany“ seal! Our manufacturing and administration processes are of course subject to constant quality checks. The comprehensive quality management of our business processes has been in place for over ten years now, and includes the ISO 9001 and ISO 13485 certifications. As a customer, this guarantees you quality of product and equally excellent service – a combination that is otherwise very hard to find!

# Options

## Upholstery

### Airback

This ergonomic Lordosis support system is filled with air by hand pump (on some models also electrically or as triple version). Particularly during long treatments or at customers with back complaints „Airback“ is appreciated.



### Smart-Thermo

The intelligent Smart-Thermo heating system is integrated into the cushion of the couch and works with modern micro-processor technology. During the start-up phase, it heats with full power to achieve a comfortable temperature on the surface as soon as possible. Then, it is kept constant until the safety switch automatically turns off the heating after a predefined time. The variable parameters are adjustable via a programming sequence, which is initiated by a certain key combination. The Smart-Thermo heating system works with direct current and is therefore virtually free of electro-smog.



### Vibro-Wellness

Vibro-Wellness is a pleasantly massaging vibration system. 6 or 10 different vibration motors in the upholstery can be controlled individually via a manual switch and work on shoulder (back part), seat and calves. The vibration intensity can be individually adjusted.



### Your Logo

Couches with this option can be branded with your personal logo on upholstery or neck rest.



### Coloured Upholstery

Our treatment beds SPL, LR, SLR and all beds with XP-upholstery are available in two or three different colours on one upholstery. You can choose your favourite colour from our palette in the cover of this catalogue.



## Headrest

### XL Extension

This sophisticated alternative to the traditional head rest enables an individual adjustment to each customer: just remove the standard headrest and replace with the XL extension. Thus slim and stout people can be treated ergonomically optimized. Especially in the massage position the XL extension provides a good support for the arms. Of course, the XL extension is also adjustable by simply pulling out. Available for SLXP and SPL also with nose slot!



### Multifunctional Mounting for Removable Headrests

This special headrest mounting enables with its double hinge system a variety of individual settings that are impossible to achieve with an ordinary headrest. This allows, in conjunction with the optional head parts, nearly every conceivable treatment at the head. Without headrest.



### Crescent Headrest

The curved headrest made from soft, washable polyurethane, is optimal in cosmetic treatments, because there are only minimal points of contact between head rest and customer. Thus there is a better access at the neck and shoulder area. During treatment the client's head is firmly fixed in stable position. Can only be used in connection with the multi functional holder. Ideal for permanent make-up and chiropody/ podiatry!



- Art. 48002** headrest
- Art. 48005** synthetic leather cover
- Art. 75236** disposable cover, 10 pieces

### U-shaped headrest


Soft cushion, related with washable artificial leather. Can only be used in with the multi functional holder headrest. Ideal for back massage!



- Art. 48001** headrest
- Art. 45018** terry cover

### Neck Rest Dentalax

This headrest effectively supports the the cervical spine during treatment. Depending on the treatment bed, the Dentalax is available in different variations, for example as magnetic variation with medical treatment beds or adapted to the cushion material. By default available in white, the Dentalax can be optionally adapted to the colour of the treatment bed (available colours: see colour chart).



### Audio-Relax-Headrest


With integrated MP3 player in the XP-upholstery. The side speakers guarantee a pleasant relaxing sound experience with greatest comfort. The device itself is located outside of the pad so it is easy to use at all times. With 50 minutes of GEMA-free relaxation music.



## Basis

### Rotonde

The Rotonde function enables rotation of the bed to left or right to a total 330°. Due to this rotation, the customer can be placed easily in the ideal position during treatment. The laterally mounted lever can be easily accessed to lock or unlock the turning function of the seat. Our hydraulic models allow a rotation of 360°.



### Colours Casing

Coloured casing up to three different variants available: white, grey or in titanium finish. Colour selection depending on model.



### Special colours metal parts

Special paint of metal parts in RAL-colours on these models possible. The colours titan (RAL 9007), black-brown and white are included in the price.

*All prices ex works // sale to commercial customers only*

### WoodDecor

This WoodDecor - by default in the wengé-look or in white available - gives your treatment table the right look to our wellness line. You are able to choose your favorite decor, perfectly matching the style of your room. Ask for our current chart of decor range!

### Castors

Set of 4 grey, easystop castors with soft tread, suitable for hard and soft floors.

Mechanically controlled at Gharieni med, SLR (standard) electrically controlled LR



### Foot Switch

Depending on bed model many of the functions can be controlled by feet. Thus both hands are free for the treatment. With the memory foot switch all motors can be controlled separately or even memory positions can be programmed and recalled.



### IR Hand-Held Remote Control

For wireless operating of selected Gharieni bed models, such as SLS Podo.



### Safety Function Spline

Spline eliminates the risk of crushing by electric recline adjustment, is used for all necessary actuators.

### Override Function

The new gas spring technology BLOC-O-LIFT® with override function enables an adjustment of gas pressure-supported bed parts in pulling direction of the gas spring, without the operation of the release lever.







# The Right Cover for Your Gharieni Bed.

Exquisite terry products indicate, that you place great importance on comfort in your massage studio or Spa. First-class production guarantees the exquisite design, perfect manufacture and - of course - high quality materials of our compress cloths, facial cleansing cloths and towels as well as of our upholstery-covers. The selected material convinces through its comfortable grip, extreme absorbency and wonderful, comfortable skin sensation. In addition, the fabrics and covers including their borders and logos will keep form and size. Top quality colouring guarantees demanding colour nuances of highest quality and stability.


As we provide these offers you can take advantage of receiving cloths/towels and covers as well as velour cloths and cotton sheets from a single source.


So, not only the quality is right! Moreover, the coherent presentation of your Spa/institute is enabled. Please use our Wellness- & Medical-Accessories Catalogue to receive further information about our terry products.

Our covers, which are specially-manufactured for our patient chairs, will perfectly protect your working devices from dirt and heavy use. Due to the high-quality material machine laundry (max. 60° C) for hygienic cleaning is thus possible. Internal elastic bands keep the single sections exactly in the right position. All functions of the treatment bed will continue working.

Our covers are available in three different colours: White, Choco and Crème.

It would be best if you order the relevant cover when purchasing the treatment bed. Our team will be happy to advise you.





# Treatment Beds

IL690U6UC R602

Chiropody

Medical

Physiotherapy



330° Rotonde  
function

The Gharieni cosmetics beds are both functional and flexible. The sitting surfaces are multi-adjustable and can be controlled with a hand-held switch. Depending on the model of bed, up to eight positions can be saved using the memory function. The high quality actuators from Linak are equipped with the "Spline" safety function which prevents the risk of crushing on moving parts. With non-motorised bed parts, Stabilus gas pressure springs ensure simple adjustment with little effort.

The design of the beds was configured taking ergonomic factors into account. Numerous well thought out details such as the optional Rotonde turning function make working easier. The extendable head and foot sections offer comfort to customers of all body size.

The spa beds are fitted with white Gharieni synthetic leather upholstery as standard. In addition to the standard equipment you are also able to choose from a wide range of colours here. These are provided on the back cover of the catalogue.

Select your favourites from the Gharieni colour palette or from the exclusive Ferrari Stamskin Top Collection! On some models of beds you can combine up to three different colours for your personal bed.

The casing is made out of robust, easy care and colour-fast plastic. On almost all models it is available both in the standard white and also in titanium.

You can view the options available for configuring your bed in the options table for the corresponding beds. Please find explanations of the individual options on the back cover of the catalogue. You can find an extensive list of accessories at the end of the relevant bed section, and in our "Wellness & Medical Accessories" catalogue.





# Treatment Beds





# SLS Podo

### Gharieni SLS Podo

three or five motors // inclination of height, back and seat via motor adjustable // legrest via pneumatic spring or motor adjustable (depending on model) // complete PU-seat covering or with artificial leather seat cover // rotatable seat with locking break // telescopic legrests // inclinable headrest (backwards/forwards) with integrated opening for the nose // foldable armrests // upholstery covers of seat and back section replaceable via click-system // control via manual control switch // up to nine treatment positions programmable // food control panel (optional) // complies with the requirements specified by EN 60601-1

height: 49 cm (in inclined position) - 95 cm // length: 179 cm - 202 cm // width with/without armrests: 61 / 85 cm // rotation angle: +/- 100° // rotation angle legs: 90° // inclination of lying surface: 25° // elevating force\*: 160 kg // load capacity of the sitting surface\*: 160 kg

height: 19.3 in (in inclined position) - 37.4 in // length: 70.5 in - 79.5 in // width with/without armrests: 24.0 / 33.5 in // rotation angle: +/- 100° // rotation angle legs: 90° // inclination of lying surface: 25° // elevating force\*: 352 lbs // load capacity of the sitting surface\*: 352 lbs

\* Values include a safety factor.

#### SLS Podo 3

electrical height, back and tilt adjustment // leg section adjustable with pneumatic spring

#### SLS Podo 5

5 actuators // completely electric







Podologists of praxis Dr. Scholz, various treatment positions with the Hybrid-Module and the podiatry chair SLS





# SPL Podo Soft

## Gharieni SPL Podo Soft

SPL-technology with super-soft upholstery incl. mechanical Air-back // completely electrically operated // three or five electrical-powered fast motors // inclination of height, back and seat via motor adjustable // legrests via pneumatic spring or motor adjustable (depending on model) // ergonomic soft PU-upholstery or artificial leather upholstery // telescopic footrest and headrest // three or four freely selectable memory positions // manual switch // Spline safety function // also available as cosmetic version

height: 59 cm - 100 cm // length: 144 cm - 203 cm // width without/with armrests: 62 / 80 cm // elevating force\*: 160 kg // load capacity of the sitting surface\*: 160 kg

height: 23.2 in - 39.4 in // length: 56.7 in - 79.9 in // width without/with armrests: 24.4 / 31.5 in // elevating force\*: 352 lbs // load capacity of the sitting surface\*: 352 lbs

\* Values include a safety factor.













### **SPL Podo 3 Soft**

electrical height, back and tilt adjustment // leg section adjustable with pneumatic spring // 4 memory positions

### **SPL Podo 5 Soft**

5 actuators // completely electric // 3 memory positions

## Options

-  Electrical Airback: electro-pneumatic lumbar support system of the upholstery
-  Smart-thermo heating system
-  Vibro-wellness: gentle vibration system with a range of different settings
-  Colour upholstery: up to 2 different colours possible, synthetic leather or PU as standard, per colour  
Synthetic leather Ferrari Stamskin Top, per colour
-  Multifunctional mounting without headrest: is required in order to attach the separately available crescent or U shaped headrest
-  XL widening: attachment to widen the bed in the upper back section
-  Coloured XL widening: max. 2 different colours possible  
Synthetic leather as standard, per colour  
Synthetic leather Ferrari Stamskin Top, per colour
-  Audio-relax headrest: with built-in loudspeakers to connect to standard players
-  Rotonde 330° (for access which is approx. 2 cm / 0,8 in higher): sitting surface that can be swivelled by 330°
-  Colour casing: casing in titanium
-  Castor set, with brakes Art. 73006
-  Foot switch: to control the basic functions





# SPL Podo

## Gharieni SPL Podo

three or five motors // inclination of height, back and seat electrically powered // legrests via pneumatic spring or motor adjustable (depending on model) // overall ergonomic artificial leather upholstery incl. mechanical Airback // telescopic footrests and headrest // three or four freely selectable memory positions // manual switch // Spline safety function // also available as cosmetic version

height: 55 cm - 96 cm // length: 144 cm - 203 cm // width without/with armrests: 62 / 80 cm // elevating force\*: 160 kg // load capacity of the sitting surface\*: 160 kg

height: 21.7 in - 37.8 in // length: 56.7 in - 79.9 in // width without/with armrests: 24.4 / 31.5 in // elevating force\*: 352 lbs // load capacity of the sitting surface\*: 352 lbs

\* Values include a safety factor.














### SPL Podo 3

electrical height, back and tilt adjustment // leg section adjustable with pneumatic spring // 4 memory positions

### SPL Podo 5

5 actuators // completely electric // 3 memory positions

## Options

-  Electrical Airback: electro-pneumatic lumbar support system of the upholstery
-  Smart-thermo heating system
-  Vibro-wellness: gentle vibration system with a range of different settings
-  Coloured upholstery: max. 3 different colours possible  
Synthetic leather as standard, per colour  
Synthetic leather Ferrari Stamskin Top, per colour
-  Logo embroidery: depending on effort
-  Multifunctional mounting without headrest: is required in order to attach the separately available crescent or U shaped headrest
-  XL widening: attachment to widen the bed in the upper back section
-  Coloured XL widening: max. 2 different colours possible  
Synthetic leather as standard, per colour  
Synthetic leather Ferrari Stamskin Top, per colour
-  Audio-relax headrest: with built-in loudspeakers to connect to standard players
-  Rotonde 330° (for access which is approx. 2 cm / 0,8 in higher): sitting surface that can be swivelled by 330°
-  Colour casing: casing in titanium
-  Castor set, with brakes Art. 73006
-  Foot switch: to control the basic functions





# SL XP Podo

## Gharieni SL XP Podo

up to three motors // overall ergonomic artificial leather upholstery incl. mechanical Airback // telescopic footrests and headrest // three freely selectable memory positions // manual switch // Spline safety function // also available as cosmetic version

height: 59 cm - 90 cm // length: 144 cm - 204 cm // width without/ with armrests: 62 / 80 cm // elevating force SL XP 1+2 / 3\*: 135 / 160 kg // load capacity of the sitting surface\*: 160 kg

height: 23.2 in - 35.4 in // length: 56.7 in - 80.3 in // width without/ with armrests: 24.4 / 31.5 in // elevating force SL XP 1+2 / 3\*: 297 / 352 lbs // load capacity of the sitting surface\*: 352 lbs

\* Values include a safety factor.

### **SL XP Podo 1**

electrical height adjustment / tilting, back and leg section adjustable with pneumatic spring

### **SL XP Podo 2**











electrical height adjustment and choice of back or tilt setting // Rest adjustable with pneumatic spring

### **SL XP Podo 3**

electrical height, back and tilt adjustment // leg section adjustable with pneumatic spring



## Options

-  Airback technology: pneumatic lumbar support system in the upholstery
-  Smart-thermo heating system
-  Vibro-wellness: gentle vibration system with a range of different settings
-  Coloured upholstery: max. 3 different colours possible  
Synthetic leather as standard, per colour  
Synthetic leather Ferrari Stamskin Top, per colour
-  Logo embroidery: depending on effort
-  XL widening: attachment to widen the bed in the upper back section
-  Coloured XL widening: max. 2 different colours possible  
Synthetic leather as standard, per colour  
Synthetic leather Ferrari Stamskin Top, per colour
-  Audio-relax headrest: with built-in loudspeakers to connect to standard players
-  Rotonde 330° (for access which is approx. 2 cm / 0.8 in higher): sitting surface that can be swivelled by 330°
-  Colour casing: casing in titanium
-  Castor set, with brakes Art. 73006





# SL XP Podo-Hydraulic

### Gharieni SL XP Podo-Hydraulic










without electronics // hydraulic height adjustment // 360°-rotatable seat // overall ergonomic comfort-upholstery // artificial leather surface // telescopic footrests and headrest // four pneumatic-operated adjustment options for inclination, backrest, legrests // also available as cosmetic version

height: 63 cm - 83 cm // length: 144 cm - 203 cm // width without/ with armrests: 62 / 80 cm

height: 24.8 in - 32.7 in // length: 56.7 in - 79.9 in // width without/ with armrests: 24.4 / 31.5 in

#### SL XP Podo-Hydraulic

#### Options

-  Airback technology: pneumatic lumbar support system in the upholstery
-  Coloured upholstery: max. 3 different colours possible  
Synthetic leather as standard, per colour  
Synthetic leather Ferrari Stamskin Top, per colour
-  Logo embroidery: depending on effort
-  XL widening: attachment to widen the bed in the upper back section
-  Coloured XL widening: max. 2 different colours possible  
Synthetic leather as standard, per colour  
Synthetic leather Ferrari Stamskin Top, per colour
-  Audio-relax headrest: with built-in loudspeakers to connect to standard players
-  Rotonde 360°: um 360° drehbare Sitzfläche
-  Colour casing: casing in titanium
-  Castor set, with brakes Art. 73006





# LR Podo

## Gharieni LR Podo

with five motors // lifting column supported treatment bed // anatomically contoured and one-piece-made artificial leather upholstery incl. mechanical Tripple-Airback // inclination of height, backrest, legrests and seat electrically adjustable // three programmable memory positions // manual switch // different versions of armrests applicable (optional) // removable armrests // narrow width of the back section enables flexible working // compact base // also available as cosmetic version

height: 56 cm - 80 cm // length: 151 cm - 215 cm // width without armrests: 61 cm // elevating force\*: 200 kg // load capacity of the sitting surface\*: 200 kg

height: 22.0 in - 31.5 in // length: 59.4 in - 84.6 in // width without armrests: 24.0 in // elevating force\*: 440 lbs // load capacity of the sitting surface\*: 440 lbs

\* Values include a safety factor.

**Treatment bed LR // without armrests**












## Armrests, narrow

54 x 8 cm (21.3 x 3.1 in) // upholstered pair  
Art. 44001

## Armrests, wide

54 x 12 cm (21.3 x 4.7 in) // seamless, from PU pair  
Art. 44002

## Options

-  Triple-Airback-Technik: elektro-pneumatisches 3-Zonen-Lordosen-Unterstützungssystem des Polsters
-  Smart-thermo heating system
-  Vibro-wellness: gentle vibration system with a range of different settings
-  Coloured upholstery: max. 3 different colours possible  
Synthetic leather as standard, per colour  
Synthetic leather Ferrari Stamskin Top, per colour
-  Logo embroidery: depending on effort
-  Multifunctional mounting without headrest: is required in order to attach the separately available crescent or U shaped headrest
-  XL widening: attachment to widen the bed in the upper back section
-  Coloured XL widening: max. 2 different colours possible  
Synthetic leather as standard, per colour  
Synthetic leather Ferrari Stamskin Top, per colour
-  Colour casing: casing in titanium
-  Electrically retractable castors
-  Foot switch: to control the basic functions







# Lina Neo Podo

## Gharieni Lina Neo Podo

available in five drive versions // extendable and removable head and foot section // upholstery sewn in a single piece with a layer of memory foam // also available one-piece foot section

height: 62 - 82 cm (apart from Basic) // length: 142 - 202 cm // width without/with armrests: 62 / 80 cm // elevating force\*: 200 kg // load capacity of the sitting surface\*: 200 kg

height: 24.4 - 32.3 in (except Basic version) // length: 55.9 - 79.5 in // width without/with armrests: 24.4 / 31.5 in // elevating force\*: 440 lbs // load capacity of the sitting surface\*: 440 lbs

\* Values include a safety factor.

### **Lina Neo Podo Basic**

no electric fittings // fixed height of 64 cm (25.2 in) // pneumatic adjustment options for tilt, back and leg section // manual operation for back and angle adjustment

### **Lina Neo Podo 1**

electric height adjustment // three pneumatic adjustment options for tilt, back and leg section // manual operation for back and angle adjustment.

### **Lina Neo Podo 2**

electrical height adjustment and choice of back or tilt setting // pneumatic adjustment option for leg section and back (recommended) or tilting angle // manual operation for back or tilt adjustment








### **Lina Neo Podo 3**

electrical height, back and tilt adjustment // with pneumatic leg section adjustment

### **Lina Neo Podo 5**

5 actuators, completely electric

## Options

-  Smart-thermo heating system
-  Coloured upholstery: max. 2 different colours possible  
Synthetic leather as standard, per colour  
Synthetic leather Ferrari Stamskin Top, per colour
-  Logo embroidery: depending on effort
-  XL widening: attachment to widen the bed in the upper back section
-  Coloured XL widening: max. 2 different colours possible  
Synthetic leather as standard, per colour  
Synthetic leather Ferrari Stamskin Top, per colour
-  Audio-relax headrest: with built-in loudspeakers to connect to standard players
-  Castor set, with brakes Art. 73006





# PLS Podo XP

## Gharieni PLS Podo XP

two motors for height and inclination adjustment // backrest adjustable up to horizontal position via a Stabilus pneumatic spring // adjustable and telescopic legrests via pneumatic spring // low entry position (up to 46 cm/18.1 in, depending on model) // swivel-mounted armrests (backwards) // base model: white upholstery, light-grey casing, seat width 49 cm/19.3 in // inclinable headrest // foot control panel as standard

height: 46 cm\* / 49.5 - 84 cm // length max.: 200 cm // width without/ with armrests: 49 / 68 cm // max. working height at the heel: 124 cm // inclination of seat: 25° // elevating force\*\*: 160 kg // load capacity of the sitting surface\*\*: 160 kg








height: 18.1 in\* / 19.5 - 33.1 in // length max.: 78.7 in // width without/ with armrests: 19.3 / 26.8 in // max. working height at the heel: 48.8 in // **inclination of seat: 25°** // elevating force\*\*: 352 lbs // load capacity of the sitting surface\*\*: 352 lbs

\* 46 cm (18.1 in) in combination with memory-entry/exit package only  
\*\* Values include a safety factor

### PLS Podo 2 XP

with foot control, grey casing and white upholstery

### Options

-  Smart-thermo heating system (not for adjustable seat)
-  Vibro-wellness: gentle vibration system with a range of different settings (not for adjustable seat)
-  Coloured upholstery: max. 3 different colours possible  
Synthetic leather as standard, per colour  
Synthetic leather Ferrari Stamskin Top, per colour
-  Audio-relax headrest: with built-in loudspeakers to connect to standard players
-  Rotonde +/- 105°:  
um +/- 105° rotating seat
-  Colour casing: casing in titanium
-  Foot switch: to control the basic functions

## Extra options // PLS Podo XP

Upholstery seat (medium: 57 cm / 22.5 in)

Armrest, upholstery from standard-collection instead of PU

Armrest, upholstery from Ferrari-Collection instead of PU

Legs, pivotable by 90° to the outside

Manually-adjustable seat depth from 43 to 51 cm / 17 to 20 in  
(in 4 steps)

Bundled offer: 2 memory positions; entry/exit aid  
incl. lock-function

Additional control unit, simple (manual switch only)

Additional control unit, comfort incl. cable  
(memory package only)

Apparatus for collecting trays, double-sided

Collecting tray, 1 pc.

Apparatus for telescopic footrests, double-sided

Footrests, 2 pc.



# PLS Podo Comfort

## Gharieni PLS Podo Comfort

two motors for height and inclination adjustment // backrest adjustable up to horizontal position via a Stabilus pneumatic spring // inclinable headrest // adjustable and telescopic legrests via pneumatic spring // low entry position (up to 46 cm / 18.1 in, depending on model) // swivel-mounted armrests (backwards) // base model: white upholstery, light-grey casing, seat width 49 cm (19.3 in) // foot control panel as standard

height: 46 cm\* / 49.5 - 84 cm // length max.: 200 cm // width without/with armrests: 49 / 68 cm // max. working height at the heel: 124 cm // inclination of seat: 25° // elevating force\*\*: 160 kg // load capacity of the sitting surface\*\*: 160 kg

height: 18.1 in\* / 19.5 - 33.1 in // length max.: 78.7 in // width without/with armrests: 19.3 / 26.8 in // max. working height at the heel: 48.8 in // **inclination of seat: 25°** // elevating force\*\*: 352 lbs // load capacity of the sitting surface\*\*: 352 lbs

\* 46 cm (18.1 in) in combination with memory-entry/exit package only  
\*\* Values include a safety factor

## PLS Podo 2 Comfort

with foot control, grey casing and white upholstery

## Options



Smart-thermo heating system  
(not for adjustable seat)



Vibro-wellness: gentle vibration system with a range of different settings  
(not for adjustable seat)



Coloured upholstery: max. 2 different colours possible  
Synthetic leather as standard, per colour  
Synthetic leather Ferrari Stamskin Top, per colour



Audio-relax headrest: with built-in loudspeakers to connect to standard players



Rotonde +/- 105°:  
um +/- 105° rotating seat



Colour casing: casing in titanium



Foot switch: to control the basic functions



## Extra options // PLS Podo Comfort —

Upholstery seat (medium: 57 cm / 22.5 in)

Armrest, upholstery from standard-collection instead of PU

Armrest, upholstery from Ferrari-Collection instead of PU

Legs, pivotable by 90° to the outside

Manually-adjustable seat depth from 43 to 51 cm / 17 to 20 in  
(in 4 steps)

Bundled offer: 2 memory positions; entry/exit aid  
incl. lock-function

Additional control unit, simple (manual switch only)

Additional control unit, comfort incl. cable  
(memory package only)

Apparatus for collecting trays, double-sided

Collecting tray, 1 pc.

Apparatus for telescopic footrests, double-sided

Footrests, 2 pc.



## Gharieni PLS Podo Basic

two motors for height and inclination adjustment // backrest adjustable up to horizontal position via a Stabilus pneumatic spring // adjustable and telescopic legrests via pneumatic spring // low entry position (up to 46 cm (18.1 in), depending on model) // swivel-mounted armrests (backwards) // base model: white upholstery, light-grey casing, seat width 49 cm (19.3 in) // foot control panel as standard

height: 46 cm\* / 49.5 - 84 cm // length max.: 200 cm // width without/ with armrests: 49 / 68 cm // max. working height at the heel: 124 cm // inclination of seat: 25° // elevating force\*\*: 160 kg // load capacity of the sitting surface\*\*: 160 kg

height: 18.1 in\* / 19.5 - 33.1 in // length max.: 78.7 in // width without/ with armrests: 19.3 / 26.8 in // max. working height at the heel: 48.8 in // **inclination of seat: 25°** // elevating force\*\*: 352 lbs // load capacity of the sitting surface\*\*: 352 lbs

\* 46 cm (18.1 in) in combination with memory-entry/exit package only

\*\* Values include a safety factor

### PLS Podo 2 Basic

with foot control, grey casing and white upholstery

## Options



Smart-thermo heating system  
(not for adjustable seat)



Vibro-wellness: gentle vibration system with a range of different settings  
(not for adjustable seat)



Coloured upholstery: 1 colour possible  
Synthetic leather as standard, per colour  
Synthetic leather Ferrari Stamskin Top, per colour



Audio-relax headrest: with built-in loudspeakers to connect to standard players



Rotonde +/- 105°:  
um +/- 105° rotating seat



Colour casing: casing in titanium



Foot switch: to control the basic functions

## Extra options // PLS Podo Basic

Armrest, upholstery from standard-collection instead of PU

Armrest, upholstery from Ferrari-Collection instead of PU

Legs, pivotable by 90° to the outside

Manually-adjustable seat depth from 43 to 51 cm / 17 to 20 in  
(in 4 steps)

Bundled offer: 2 memory positions; entry/exit aid  
incl. lock-function

Additional control unit, simple (manual switch only)

Additional control unit, comfort incl. cable  
(memory package only)

Apparatus for collecting trays, double-sided

Collecting tray, 1 pc.

Apparatus for telescopic footrests, double-sided

Footrests, 2 pc.

## Gharieni PLS Podo Hydraulic


entry height approx. 59 cm (23.2 in) // working height of 110 cm (43.3 in) at maximum inclination // backrest, legrests and inclination separately adjustable via pneumatic spring // telescopic legrests // swivel-mounted armrests (backwards) // white upholstery as standard

height: 59 - 79 cm // width without/with armrests: 49 / 68 cm // max. working height at the heel: 120 cm // inclination of seat: 25°

height: 23.2 - 31.1 in // width without/with armrests: 19.3 / 26.8 in // max. working height at the heel: 47.2 in // **inclination of seat: 25°**

### PLS Podo Hydraulic

#### Options

-  Coloured upholstery: 1 colour possible
- Synthetic leather as standard, per colour
- Synthetic leather Ferrari Stamskin Top, per colour

#### Extra options // PLS Podo Hydraulic

Comfort-upholstery with inclinable headrest

XP-upholstery with Airback-lumbar support, inclinable headrest

Wider Comfort and XP upholstery (medium: 57 cm / 22.5 in)

Armrest, upholstery from standard-collection instead of PU

Armrest, upholstery from Ferrari-Collection instead of PU

Legs, pivotable by 90° to the outside

Manually-adjustable seat depth from 43 to 51 cm / 17 to 20 in (in 4 steps)

Apparatus for collecting trays, double-sided

Collecting tray, 1 pc.

Apparatus for telescopic footrests, double-sided

Footrests, 2 pc.



Mobility at all sides:

Arm with tray for instruments/devices, a light therapy lamp - or both // installable on the left as well as on right side

**Prices upon request**





# SPLmed

© Mohs Klinieken Amsterdam / Fotografie Bas Arps

## Gharieni SPLmed

suitable for medical applications // complies with the requirements specified by EN 60601-1 // four or five motors // height, backrest and legrest(s) electrically powered // up to eight freely-selectable memory functions // manual switch with lock-function // additional foot control panel optional available // with one-piece as well as with two-piece legrest available // Spline safety function

height\*: 55 cm - 96 cm // length: 144 cm - 203 cm // width without/ with armrests: 62 / 80 cm // elevating force\*: 160 kg // load capacity of the sitting surface\*: 160 kg

height\*: 21.7 in - 37.8 in // length: 56.7 in - 79.9 in // width without/ with armrests: 24.4 / 31.5 in // elevating force\*: 352 lbs // load capacity of the sitting surface\*: 352 lbs

\* Values include a safety factor.










### **SPLmed 4**

with 4 actuators // completely electric // one-piece legrest

### **SPLmed 5**

with 5 actuators // completely electric // two-piece legrest

## Options

-  Coloured upholstery: max. 3 different colours possible  
Synthetic leather as standard, per colour  
Synthetic leather Ferrari Stamskin Top, per colour
-  Multifunctional mounting without headrest: is required in order to attach the separately available crescent or U shaped headrest
-  XL widening: attachment to widen the bed in the upper back section
-  Coloured XL widening: max. 2 different colours possible  
Synthetic leather as standard, per colour  
Synthetic leather Ferrari Stamskin Top, per colour
-  Audio-relax headrest: with built-in loudspeakers to connect to standard players
-  Rotonde 330° (for access which is approx. 2 cm / 0.8 in higher): sitting surface that can be swivelled by 330°
-  Colour casing: casing in titanium
-  Castor set, with brakes Art. 73006
-  Foot switch with memory function: to control basic functions







# SLRmed

Photo: oral-surgical outpatient clinic, Malteser Krankenhaus/hospital pc. Johannes-Stift/monastery, Duisburg, Germany

## Gharieni SLRmed

specifically developed to be operated in medical locations // class 1 MDD 93/42 EEC classification // confirms with the requirements specified by EN 60601-1 // suitable for blood donation, autologous donation, transfusion, chemotherapy, EEG, ECG, ultrasound, laser treatment, wound care, vein treatment, infusion, dental treatment, ENT treatment // completely electrically-powered treatment bed with eight memory positions // manual switch // Spline safety function // titanium-look base of robust steel construction // stainless steel elements // extractable casters via lever mechanism // lying surface without seams // telescopic footrests and headrest/ steplessly-adjustable neck support via magnets // equipped with lumbar support Airback as standard // different versions of armrests and thigh supports available

height: approx. 54 (approx. 47 cm in tilted position) - 83 cm // length: 186 - 205 cm // width without armrests: 61cm // elevating force\*: 160 kg // load capacity of the sitting surface\*: 180 kg

height: approx. 21.3 (approx. 18.5 in in tilted position) - 32.7 in // length: 73.2 - 80.7 in // width without armrests: 24.0 in // elevating force\*: 352 lbs // load capacity of the sitting surface\*: 396 lbs

\* Values include a safety factor.

**SLRmed // without armrests**

## Wide armrests

54 x 12 cm (21.3 x 4.7 in) // seamless, from PU  
pair **Art. 44002**

## Armrests for venipuncture





seamless made from PU // multi-adjustable  
pair **Art. 44005**

## Leg Holder

seamless made from PU // multi-adjustable  
pair



## Options

-  Airback technology: pneumatic lumbar support system in the upholstery
-  Coloured upholstery: 1 colour possible  
Synthetic leather as standard, per colour  
Synthetic leather Ferrari Stamskin Top, per colour
-  Multifunctional mounting without headrest: is required in order to attach the separately available crescent or U shaped headrest
-  manually retractable castors





## Gharieni SLRmed Dialysis

specially developed to be operated in medical locations // class 1 MDD 93/42 EEC classification // confirms with the requirements specified by EN 60601-1 // upholstered with Memory-Foam // with five motors for height, inclination, back, leg and foot positioner // up to eight freely-selectable memory functions // manual switch // Spline safety function // adjustable shock position via electrical manual control or mechanical release // titanium-look base of robust steel construction with stainless steel elements // lever-controlled caster mechanism // lying surface without seams // telescopic and steplessly-adjustable headrest // steplessly-adjustable neck support via magnets // equipped with lumbar support Airback as standard // different versions of armrests available // further information on accessories and options on demand

height: approx. 54 (approx. 47 cm in tilted position) - 83 cm // length: 186 - 205 cm // width without armrests: 61 cm // elevating force\*: 160 kg // load capacity of the sitting surface\*: 180 kg

height: approx. 21.3 (approx. 18.5 in in tilted position) - 32.7 in // length: 73.2 - 80.7 in // width without armrests: 24.0 in // elevating force\*: 352 lbs // load capacity of the sitting surface\*: 396 lbs

\* Values include a safety factor. .





### Wide armrests

54 x 12 cm (21.3 x 4.7 in) // seamless, from PU  
**pair Art. 44002**

### Armrests for venipuncture

seamless made from PU // multi-adjustable  
**pair Art. 44005**

## Options

-  Airback technology: pneumatic lumbar support system in the upholstery
-  Coloured upholstery: 1 colour possible  
Synthetic leather as standard, per colour  
Synthetic leather Ferrari Stamskin Top, per colour
-  Multifunctional mounting without headrest: is required in order to attach the separately available crescent or U shaped headrest
-  manually retractable castors





#### LR Special

the LR can be upgraded individually by installing accessories such as a thigh support // the figure illustrates a customised model

#### SL Special

the LR can be upgraded individually by installing accessories of the dental segment. Please contact us for individual solutions and take our advice on the various usages // the figure illustrates a customised model





## Armrest for Venipuncture (for LR, SLR & SLRmed)

removable armrest for the models LR, SLR, SLRmed and Dialysis  
// can be turned into all directions (ball joint) // arm can be swivelled  
to the outside and inside // height adjustment via pneumatic spring  
**Art. 42063** **pair**

## Gharieni MLK Physio

with lowerable armrests // especially developed for physiotherapeutic purposes // two-part lying surface // headrest and armrests adjustable with gas springs // two actuators for height adjustment and postural drainage position up to 28°

height: 61 cm - 91 cm // length: 200 cm // width: 70 cm // length headrest: 45 cm // length upper lying surface: 50 cm // length lower lying surface: 105 cm // elevating force\*: 135 kg // load capacity of the bed surface\*: 160 kg

height: 24.0 in - 35.8 in // length: 78.7 in // width: 27.6 in // length headrest: 17.7 in // length upper lying surface: 19.7 in // length lower lying surface: 41.3 in // elevating force\*: 297 lbs // load capacity of the bed surface\*: 352 lbs

\* Values include a safety factor.



### Options

-  Smart-thermo heating system
-  Coloured upholstery: 1 colour possible  
Synthetic leather as standard, per colour  
Synthetic leather Ferrari Stamskin Top, per colour
-  Logo embroidery: depending on effort
-  Colour casing: casing in titanium
-  Castor set, with brakes Art. 73006
-  Foot switch: to control the basic functions



## Gharieni MLS

with two motors // electrically-operated height adjustment // electrically-adjustable backrest by 75° upwards // upholstery: hollow-shaped, sewn in one piece // authorised for rooms used for medical purposes // manual switch with lock function // casing in light-grey

height: 56 cm - 106 cm // length: 200 cm // width: 70 cm // length headrest: 55 cm // length lying surface: 145 cm // elevating force\*: 160 kg // load capacity of the bed surface\*: 160 kg

height: 22.0 in - 41.7 in // length: 78.7 in // width: 27.6 in // length headrest: 21.7 in // length lying surface: 57.1 in // elevating force\*: 352 lbs // load capacity of the bed surface\*: 352 lbs


\* Values include a safety factor.


## Roll Holders for MLK and MLS


for paper rolls up to a width of 60 cm (23.6 in)// installation at the foot end (without figure)


**Art. 42068**

## Options

 Coloured upholstery: 1 colour possible  
Synthetic leather as standard, per colour  
Synthetic leather Ferrari Stamskin Top, per colour

 Logo embroidery: depending on effort

 Castor set, with brakes Art. 73006

 Foot switch: to control the basic functions





Art. 46005

Art. 42005/40

Art. 42005/60

Art. 42006/40

Art. 42006/60

Art. 42020

Art. 42017

Art. 42065

Art. 42064

Gharleni

Gharleni

## Neck Support Dentalax

anatomical support of the neck vertebra // white or in colour // incl. Velcro®

**Art. 46005**

**Farbaufpreis**

## Hygiene-Paper Roll

9 pc., 50 x 0.5 m each // every approx. 37 cm (14.6 in) perforated

**Art. 42065**

**Art. 42065**

Roll Holder Incl. 1 Paper Roll

**Art. 42064**

## Manicure Bowl

**Art. 42020**

## Holder For Manicure Bowl

**Art. 42017**

## Bolster/Knee Rolls

white // semi-cylindrical // 40 cm (15.7 in)

**Art. 42006/40**

white // semi-cylindrical // 60 cm (23.6 in)

**Art. 42006/60**

white // cylindrical // 40 cm (15.7 in)

**Art. 42005/40**

white // cylindrical // 60 cm (23.6 in)

**Art. 42005/60**

## Hygiene - Collecting Device (for SL & SPL Podo)

Practical accessory for your Podo treatment bed. A collecting device is installed instead of the telescopic foot rest - either as a standard factory installation or as an add-on kit available. The collecting device can be removed at any time so you can reinstall the foot rest. Especially useful, hygienic and time-saving when working with the „wet“ method. 40 hygiene-bags are included.

**Art. 42063**

**40 hygiene-bags**

**Art. 42060**



## Footrests for Podiatry Chairs

as an alternative to the standard foot parts // cylindrical shape // enables numerous support options // suitable for almost all Gharieni podiatry chairs (except PLS)

**Art. 47000**

**pair**



## Footrest

chrome-plated sheet steel // protects the casing // for PLS, SLXP and SLS

**footrest**

We recommend for the cleaning of our treatment beds/chairs:

## Mikrozyd Sensitive (without figure)

without alcohol // especially gentle // effective against bacteria, fungi and viruses (e.g. HBV, HIV, rota, vaccinia)

**Wipes**

**Art. 79418**

**Liquid**

**Art. 79417**




**oro®**

## Artificial Leather Cleaner

cleanses and cares all seat covers and other surface made of artificial leather // when using the oro® artificial leather cleaner and the supplied special sponge simultaneously even persistent contamination and discolouration can be removed quickly

**Art. 79444**





# Furnishing

FURNISHING

Furnitures

Stools + Chairs



# K9 Furniture Series

### Gharieni K9 Laundry Trolley

for storing dirty laundry // easy to empty with big feeder slot // washing requiring laundry easily removed through big front cover // drawer with tip-on technology // rubber castors for pushing // available in a choice of décors

height: 81.5 cm // width: 66 cm // depth: 43 cm

height: 32.1 in // width: 26.0 in // depth: 16.9 in

### Gharieni K9 Cosmetics Trolley

understated elegance // four spacious drawers // smooth sliding of the drawers via "tip on automatic" // attractive handle for pushing the furniture // cushioned castors // available in different décors

height: 81.5 cm // width: 66 cm // depth: 43 cm

height: 32.1 in // width: 26.0 in // depth: 16.9 in

### Gharieni K9 Washbasin Cabinet

flexible and elegant // three sections for towels, wide range of tools, dirty laundry and much more // Installation of a basin possible // can be arranged individually // in a range of décors

height: 77 cm // width: 176.5 cm // depth: 50 cm

height: 30.3 in // width: 69.5 in // depth: 19.7 in

### Gharieni K9 Hot-Cabi Cabinet

cabinet for Hot-Cabi Maxi (Art. 98610) // available in a range of décors // the complete Hot-Cabi offer is available in our current PraxMax catalogue.

height: 38.5 cm // width: 49.5 cm // depth approx. 42 cm

height: 15.2 in // width: 19.5 in // depth approx. 16.5 in



K9 Laundry Trolley



K9 Cosmetics Trolley



K9 Washbasin Cabinet



K9 Hot-Cabi Cabinet



# K10 Furniture

## Gharieni K10 Furniture Series

The new furniture series K 10 is the innovative further development of the successful K 9series. K 10 is designed as a modular system with a gap-free surface, which covers the single elements and encloses them like a frame. The K 10 series provides a perfect and aesthetic organization system for your treatment room.

The basic module is available in three variants relevant to your needs and the size of your treatment room: for two, three or four individually customised built-in modules with a width of 107 cm to 207 cm. You can also choose the built-in modules - a drawer module, a cabinet module and a base cabinet module - relevant to your needs.

Furthermore, a particularly practical feature is the perfectly integrable treatment unit Spa Trolley HST K 10-Module. This module is equipped with soundless low-friction rollers and can easily be pulled out for treatment and closed after treatment. The Spa Trolley HST is equipped with a stowable evaporator incl. herb-apparatus. The integrated FDS (Foam Detecting System) switches off the evaporator if any foaming caused by contamination occurs; moreover, the arm of the evaporator is pivotable.

This module also provides a large storage space, a telescopic tray, a drawer and a compartment with integrated Hot Cabi. Furthermore, it is equipped with a storage compartment for the magnifying lamp Flex and a holder for the lamp. The base modules and built-in modules are - of course - available in many noble decors suitable for a perfect presentation in your institute. The installation of an additional basin is also possible.





### Gharieni K10 Furniture Series

available in three versions: incl. 2, 3 or 4 modules // individually customised built-in modules // optional available in many different decors // also available as a wash-stand base cabinet // installation of a worktop washbasin is possible

### Gharieni K10 2-Part-Basic Module Frame

height: 93 cm // width: 107 cm // depth: 60 cm  
height: 36.6 in // width: 42.1 in // depth: 23.6 in

### Gharieni K10 3-Part-Basic Module Frame

height: 93 cm // width: 157 cm // depth: 60 cm  
height: 36.6 in // width: 61.8 in // depth: 23.6 in

### Gharieni K10 4-Part-Basic Module Frame

height: 93 cm // width: 207 cm // depth: 60 cm  
height: 36.6 in // width: 81.5 in // depth: 23.6 in

### Gharieni K10 Built-in Modules

Available modules: drawer module, cabinet module, base-cabinet module

### Gharieni Spa Trolley HST K10 Module

treatment-unit with rollers - can be pulled out from the relevant module during treatment // stowable vaporiser // FDS (Foam Detecting System) to switch off the vaporiser when contaminated by foam formation due to pollution // arm of vaporiser is rotatable // large storage space // telescopic tray // drawer // compartment with integrated Hot-Cabi // magnifying lamp mounting // storage compartment for magnifying lamp Flex // available in many different decors

### Gharieni Equipment-Trolley HST K10-Module

equipment trolley with rollers - can be pulled out from the relevant module during treatment // compartment with integrated Hot-Cabi // large storage space // telescopic tray // drawer // magnifying lamp mounting // available in many different decors



K10 4-Part-Basic Module Frame



K10 3-Part-Basic Module Frame



K10 2-Part-Basic Module Frame



Gharieni K10 Built-in Modules

Drawer Modules



Podo-Trolley K10-Module with UV compartment



Cabinet Modules



Podo-Trolley K10-Module without UV compartment



### Gharieni K10 Furniture Series- Handles

Choose the matching handle for your K 10 piece of furniture! Four different models of handles are available, e.g. embedded shell grips or bar handles made of metal or leather.

#### Shell Grips

Embedded handle // aluminium // chromium-plated, matt

#### Handle Strip

Attached handle strip // zinc die-casting // aluminium-coloured

#### Furniture Handle - Stainless Steel

Attached bar handle // stainless steel // matt brushed

#### Furniture Handle - Leather

Attached bar handle // zinc die-casting // chromium-plated, matt // leather-lining



Shell Grips



Handle Strip



Furniture Handle - Stainless Steel



Furniture Handle - Leather



### Gharieni CL Trolley

mobile preparations trolley // in modern semi metal optics // storage compartments at the front // three drawers at the rear, terraced disposed // rail // available in different patterns // castors // device for seperately extractable facial tissues

height: approx 78 cm // width: approx 44 cm // depth: approx 67 cm

height: approx 30.7 in // width: approx 17.3 in // depth: approx 26.4 in

## Gharieni Laundry Trolley TK

mobile laundry trolley // modern design // metal frame // front in various shades of wood // practical laundry flap // pull-out laundry box // three shelves // with or without castors available

height: approx 90 cm // width: 110 cm // depth: 43 cm

height: approx 35.4 in // width: 43.3 in // depth: 16.9 in







## Gharieni Square Trolley

mobile preparations trolley // lateral shelves // folding compartment for waste and two shelves in the front area // handles on left and right // pull-out tray // available in differing décors // on castors

height: approx. 82 cm // width (without handle): 45 cm // width (incl. handle): 54 cm // depth: 45 cm

height: approx. 32.3 in // width (without handle): 17.7 in // width (incl. handle): 21.3 in // depth: 17.7 in

### Square Trolley

(Prices do not include decoration)

### Gharieni MLX Trolley

multifunctional equipment trolley // wide range of versions and designs available // possibility of combining high and low tip-on drawers // circular grip // high quality castors

height: 76,5 cm (small), 88 cm (medium), 99 cm (large) // width without grip: 45 cm // width incl. grip: 54 cm // depth: 45 cm

height: 30.1 in (small), 34.6 in (medium), 39.0 in (large) // width without grip: 17.7 in // width incl. grip: 21.3 in // depth: 17.7 in

**MLX Trolley Small**  
**MLX Trolley Medium**  
**MLX Trolley Large**



#### Additional tray

with the framework for safe placing of products // removable // same decor as trolley // total height of the trolley increases by about 12 cm (4.7 inch)



Large (height: 99 cm)

Medium (height: 88 cm)

Small (height: 76,5 cm)



Bild zeigt Sonderausstattung!

### Gharieni MLX Display Trolley

optionally illuminated display for the eye-catching positioning of your preparations // lateral shelves // folding shelf and drawer in front section // available in differing décors // on castors

height: 99 cm // width (without handle): 45 cm // width (incl. handle): 54 cm // depth (without handle): 45 cm // depth (incl. handle): 54 cm

height: 39.0 in // width (without handle): 17.7 in // width (incl. handle): 21.3 in // depth (without handle): 17.7 in // depth (incl. handle): 21.3 in



## Gharieni MLX Podo Trolley

integrated compartment for a pedicure device // optional UV drawer  
// lamp bracket // light running castors // available in differing décors

height: 99 cm // width (without handle): 45 cm // width (incl. handle):  
54 cm // depth (without handle): 45 cm // depth (incl. handle): 54 cm

height: 39.0 in // width (without handle): 17.7 in // width (incl. handle):  
21.3 in // depth (without handle): 17.7 in // depth (incl. handle):  
21.3 in





### Gharieni GlaStyle Equipment Trolley

equipment and preparations trolley // up to three swivelling glass décor trays with chrome border // light running castors // glass trays height adjustable and swivelling // rail can be shortened // optionally available with white or titanium base // magnifying lamp holder

dimensions of tray surface (oval): 35 x 56 cm (13.8 x 22.0 in)

**GlaStyle Equipment Trolley in white or titanium**  
 with 1 tray  
 with 2 trays  
 with 3 trays

**DeLuxe Plus magnifying lamp**  
 white Art. 41833  
 titanium Art. 41834  
 Adapter for magnifying lamps



### Gharieni Equipment Trolley Rotary Design

preparations trolley matching the Rotary Design multifunction treatment unit // 5 rotating drawers // five light running castors // handle // body made from high quality aluminium // 89 cm (35.0 in) high // magnifying lamp holder

**Gharieni equipment trolley Rotary Design Titan**  
 incl. 5 storages Art. 61150

**DeLuxe Plus magnifying lamp**  
 white Art. 41833  
 titanium Art. 41834  
 Adapter for magnifying lamps



## Gharieni CabiLine Equipment Trolley

offers a lot of storage space // two or three shelves, narrow or wide  
// braking light-running castors // possible enhancements such as  
drawers\* and magnifying lamp // optionally available in other wood  
décor and metal colours

## Gharieni CabiLine Dual

external dimensions: depth: 40 cm / height: 82 cm // lower tray at  
20 cm height // upper tray at 70 cm

external dimensions: depth: 15.7 in / height: 32.3 in // lower tray at  
7.9 in height // upper tray at 27.6 in

**Small\* // width - 40 cm (15.7 in) Art. 42123**

**Large\* // width - 60 cm (23.6 in) Art. 42124**

## Gharieni CabiLine Triple

external dimensions: depth: 40 cm / height: 89 cm // lower tray at 24  
cm height // middle tray at 50 cm height // upper tray at 78 cm height

external dimensions: depth: 15.7 in / height: 35.0 in // lower tray at  
9.4 in height // middle tray at 19.7 in height // upper tray at 30.7 in  
height

**Small\* // width - 40 cm (15.7 in) Art. 42122**

**Large\* // width - 60 cm (23.6 in) Art. 42120**

### Accessories

**CabiLine drawer\* Art. 42190**  
**Magnifying lamp holder Art. 42119**

\* Drawers only available with the „Large“ version



Art. 42190

Art. 42124

Art. 42123

Art. 42120

Art. 42122





Gharieni Lamica DecorLine Equipment Trolley

tray dimensions: 42 x 52 cm // middle tray at: 56 cm height // upper tray at: 90 cm height // spacious storage tray with folding doors // pull-out tray

tray dimensions: 16.5 x 20.5 in // middle tray at: 22.0 in height upper tray at: 35.4 in height // spacious storage tray with folding doors // pull-out tray



Gharieni Lamica Wood Décor Equipment Trolley

with two wood décor trays  
tray dimensions 41 x 64 cm // lower tray at 22 cm height // upper tray at 72 cm height

tray dimensions 16.1 x 25.2 in // lower tray at 8.7 in height // upper tray at 28.3 in height

with titanium tubing **Art. 42188TI**  
with chrome tubing **Art. 42188CR**  
with black tubing **Art. 42188SC**

with three wood décor trays  
tray area 41 x 64 cm // lower tray at 22 cm height // middle tray at 56 cm height // upper tray at 90 cm height

tray area 16.1 x 25.2 in // lower tray at 8.7 in height // middle tray at 22.0 in height // upper tray at 35.4 in height

with titanium tubing **Art. 42189TI**  
with chrome tubing **Art. 42189CR**  
with black tubing **Art. 42189SC**

drawer WoodDecor **Art. 42190H284**



Gharieni Lamica Glass Décor Equipment Trolley

with two glass trays  
tray area: 42 x 65 cm // lower tray at 22 cm height // upper tray at 70 cm height

tray area: 16.5 x 25.6 in // lower tray at 8.7 in height // upper tray at 27.6 in height

with titanium tubing      Art. 42186TI  
with chrome tubing      Art. 42186CR  
with black tubing      Art. 42186SC

with three glass trays  
tray area: 42 x 65 cm // lower tray at 22 cm height // middle tray at 55 cm height // upper tray at 87 cm height

tray area: 16.5 x 25.6 in // lower tray at 8.7 in height // middle tray at 21.7 in height // upper tray at 34.3 in height

with titanium tubing      Art. 42187TI  
with chrome tubing      Art. 42187CR  
with black tubing      Art. 42187SC

device for drawer      Art. 42191  
with glass base      Art. 42190H103  
drawer DecorLine



Gharieni Lamica DecorLine Equipment Trolley

with two white trays  
tray area 42 x 52 cm // lower tray at 22 cm height // upper tray at 72 cm height

tray area 16.5 x 20.5 in // lower tray at 8.7 in height // upper tray at 28.3 in height

with titanium tubing      Art. 42180TI  
with chrome tubing      Art. 42180CR  
with black tubing      Art. 42180SC

with three white trays  
tray area: 42 x 52 cm // lower tray at: 22 cm height // middle tray at: 56 cm height // upper tray at: 90 cm height

tray area: 16.5 x 20.5 in // lower tray at: 8.7 in height // middle tray at: 22.0 in height // upper tray at: 35.4 in height

with titanium tubing      Art. 42185TI  
with chrome tubing      Art. 42185CR  
with black tubing      Art. 42185SC

drawer DecorLine      Art. 42190H103

All of the trolleys in the DecorLine series can be extended with:  
Equipment storage      Art. 41003  
Lamp adapter      Art. 41820  
Water bowl incl. mount      Art. 41180



# Cube Select

### Gharieni Podiatry Furniture Cube Select

1 mid-size or 2 small drawers // compartment // small drawer incl. UV-light available // colours: white or Wenge décor // metallic foot in white, titanium-coloured, blackish-brown // casters have breaks // available in various décors

height: 74 cm // width: 41 cm // depth: 43 cm

height: 29.1 in // width: 16.1 in // depth: 16.9 in




### Gharieni Equipment Trolley Cube Select

optionally available with a big drawer and two spacious interior surfaces // big light-running castors // high quality metal wood combination // in white or wenge décor // metal base: white, titanium, dark brown // additional décor versions possible

height: 74 cm // width: 41 cm // depth: 43 cm

height: 29.1 in // width: 16.1 in // depth: 16.9 in



# Podò System

## Gharieni Podò System

especially designed for podiatry // a customizable modular system with integrated appliances // with casters // the modules can be used as individually-working units // modules: glass-front cabinet with integrated pneumatically-powered micro motor, turbine, external suction and spray // compressor cabinet // drawer cabinet // cabinet with shelves // different decors of the surface available










## Gharieni Compressor-Module

quiet operation due to an optimised noise reduction and the ultra low-noise compressor // powerful low-maintenance compressor with an output power of 103 litres per min. // 24-litres-container with 8 bar max. pressure // high-quality easy-running wheels // different decors available

height: 99 cm // width: 45 cm // depth: 57 cm

height: 39.0 in // width: 17.7 in // depth: 22.4 in





## Gharieni Compressed Air Podo-Module

handpiece steplessly-adjustable up to 40,000 rpm // second handpiece with high-performance turbine steplessly adjustable up to 400,000 rpm // 3-function-sprayer with water, air and spray nebulisation // adjustable speed via foot control // change of direction via handpiece // telescopic, clearly arranged and structured front control panel // operated by an external compressed air system // high-quality easy-running wheels // different decors available

micro motor: 12,000-40,000 rpm//turbine (contra-angle handpiece): up to 400,000 rpm//air requirement: 70 litres per min.

height: 99 cm // width: 40 cm // depth: 57 cm

height: 39.0 in // width: 15.7 in // depth: 22.4 in




## Gharieni EasyStore Shelf Module

mobile cabinet // flexible shelves // light running castors // use as a mobile solitary furniture or in a row of furniture // 50 different décors

height: 97.5 cm // width: 40 cm // depth: 55 cm

height: 38.4 in // width: 15.7 in // depth: 21.7 in




## Gharieni EasyStore-Schubladen-Modul

mobile, modular drawer cabinet // number of drawer elements selectable // up to five elements // light running castors

height: 97.5 cm // width: 40 cm // depth: 55 cm

height: 38.4 in // width: 15.7 in // depth: 21.7 in

The EasyStore drawers module can be extended or reduced with individual drawer elements.




## Gharieni Hybrid-AirSpray-Podo-Module

combining two devices into one // combined water and suction technique // spray-function with a practical LED light // extremely quiet suction function // adjustable rpm via foot control // three programmable individual settings // brushless micro motors (maintenance-free) // digital control panel // handpiece with operating switch // easy-running wheels // different decors available

rpm: max. 40,000 rpm (both handpieces)


height: 99 cm // width: 40 cm // depth: 57 cm

height: 39.0 in // width: 15.7 in // depth: 22.4 in










All the prices of these high quality, elegant designer modules apply to the white or wenge décor. It is also possible to optionally choose from over 50 additional wood and colour décors in matt or high gloss varnish and thereby find the suitable visuals for the corresponding practice. The chiropody system is especially elegant in the new „Ebony“ wood décor, for instance, a modern gloss wood visual effect.





### Gharieni Pedicure Cabinet GL 60 UV

telescopic footprint for various pedicure instruments // pocket with UV-light // two big drawers // 4 big rubberized casters (2 have breaks) // different decors available

width: 60 cm // depth: 41 cm // height: 79 cm

width: 23.6 in // depth: 16.1 in // height: 31.1 in

## Gharieni Equipment Trolley GL 45

pull-out storage space for differing equipment // three shelves // four big rubber castors, of which two braking // in white or wenge décor // further décors optional

width: 45 cm / depth: 40 cm / height: 80 cm

width: 17.7 in / depth: 15.7 in / height: 31.5 in

**Equipment Trolley GL 45**

**Art. 35121**

## Gharieni Equipment Trolley GL 60

pull-out storage space for differing equipment // three big shelves // four big rubber castors, of which two braking // in white or wenge décor // further décors optional

width: 60 cm / depth: 40 cm / height: 80 cm

width: 23.6 in / depth: 15.7 in / height: 31.5 in

**Equipment Trolley GL 60**

**Art. 35120**

## Gharieni Equipment Trolley Quadrat

pull-out storage space for equipment // two small 10 cm (3.9 in) shelves // one big 21 cm (8.3 in) shelf // four big rubber wheels of which two braking // in white or wenge décor // further décors optional

width: 40 cm / depth: 42 cm / height: 102 cm

width: 15.7 in / depth: 16.5 in / height: 40.2 in

**Equipment Trolley Quadrat**

**Art. 35117**



Art. 35121

Art. 35120

Art. 35117

*Bild zeigt Sonderausstattung!*



Art. 42501



Art. 42401



Art. 42512



Art. 42411

#### Gharieni Saddle Chair, Anatomical, Small\* +

pneumatic height adjustment, 47 - 63 cm (18.5 - 24.8 in) // turning saddle chair // 5 castor safety base // rubber castors with roll stop function // comfortable upholstery // with tilting seat to take strain off thighs // washable and hard wearing cover // white or coloured synthetic leather

**Basic configuration with black base**  
**Art. 42501**

#### Gharieni Saddle Chair, Anatomical, Small\* +

with long pneumatic spring, rest as Art. 42501 // pneumatic height adjustment, 56 - 80 cm (22.0 - 31.5 in)  
**Basic configuration with black base**  
**Art. 42498**

#### Gharieni Saddle Chair, Anatomical, Small\* Floating \* +

swinging seat which responds to movements // in two versions (soft and medium) // pneumatic height adjustment, 47 - 63 cm (18.5 - 24.8 in) // turning saddle chair // 5 castor safety base // rubber castors with roll stop function // hard wearing cover // synthetic leather cover in white or coloured

**Basic configuration with black base**  
**Art. 42401W** soft  
**Art. 42401M** medium

**Picture on right shows model with breathable high-tech fabric, black:**  
**Surcharge:**



#### Gharieni Saddle Chair, Anatomical, Large\* +

with extra wide sitting surface // pneumatic height adjustment, 59 - 80 cm (23.2 - 31.5 in) // swivelling saddle chair 5 castor safety base // rubber castors with roll stop function // comfortable upholstery // washable and hard wearing cover // white or coloured synthetic leather cover

**Basic configuration with black base**  
**Art. 42512**

#### Gharieni Saddle Chair, Anatomical, Large Air\* +

with inflatable upholstery for more sitting comfort and prevention of pressure points // rest as Art. 42512 // upholstery: Synthetic leather, white

**Basic configuration with black base**  
**Art. 42412**



#### Gharieni Saddle Chair, Anatomical, Large For Men\* +

cut away at front side // rest as Art. 42512  
**Basic configuration with black base**  
**Art. 42411**



### Gharieni PU Stool<sup>+</sup>

pneumatic height adjustment, 46 - 59.5 cm (18.1 - 23.4 in) // round seat and swivelling backrest from PU // 5 castor safety base // rubber castors with roll stop function // comfortable upholstery and upholstered backrest // washable and hard wearing cover in grey

**Basic configuration with black base**  
**Art. 42420**

### Gharieni PU Chair with Curved Backrest<sup>+</sup>

pneumatic height adjustment, 50 - 63 cm (19.7 - 24.8 in) // round seat and swivelling backrest from PU // 5 castor safety base // rubber castors with roll stop function // comfortable upholstery and upholstered backrest // washable and hard wearing cover in grey

**Basic configuration with black base**  
**Art. 42430**

### Gharieni Chair with Oval Seat<sup>\*+</sup>

pneumatic height adjustment, 50 - 62 cm (19.7 - 24.4 in) // swivelling oval seat // 5 castor safety base // rubber castors with roll stop function // comfortable upholstery // washable and hard wearing cover // synthetic leather cover in white or coloured // optionally available with Air Floating System for more sitting comfort and avoidance of pressure points

**Basic configuration with black base**  
**Art. 42515**

**Option: with tilting seat to take strain off thighs**  
**Basic configuration with black base**  
**Art. 42516**

**Option: with Air Floating system**  
**Basic configuration with black base**  
**Art. 42515AF**

**Option: with Air Floating system and tilting seat**  
**Basic configuration with black base**  
**Art. 42516AF**







### Gharieni Chair Square

pneumatic height adjustment // swivelling square seat // comfortable upholstery // arm and backrest // washable and hard wearing cover // synthetic leather cover in white or coloured // optionally available with castors or fixed base // rubber castors with roll stop function



### Gharieni Chair Rondo

pneumatic height adjustment // swivelling round seat // comfortable upholstery // with backrest // washable and hard wearing cover // synthetic leather cover in white or coloured // optionally available with castors or fixed base // rubber castors with roll stop function

### Gharieni Small Chair without Armrests\*+

pneumatic height adjustment, 47 - 60 cm (18.5 - 23.6 in) // swivelling square seat // comfortable upholstery and backrest // washable and hard wearing cover // synthetic leather cover in white or coloured // optionally available with castors or fixed base // rubber castors with roll stop function

**Basic configuration with black base**

**Art. 42504**



**with tilting sitting surface**

**Basic configuration with black base**

**Art. 42507**

### Gharieni Small Chair with Armrests\*+

pneumatic height adjustment, 40 - 53 cm (15.7 - 20.9 in) // swivelling square seat // 5 cross safety base without castors // comfortable upholstery and backrest // washable and hard wearing cover // Synthetic leather cover in white or coloured // optionally available with castors or fixed base

**Art. 42555**

### Gharieni Makeup Chair with Armrests\*

pneumatic height adjustment, 57 - 83 cm (22.4 - 32.7 in) // extra wide 5 cross safety base // wide circular foot rest // rest as 42555

**Art. 42076**



Art. 42504



Art. 42076

Art. 42555

### Gharieni Dental Type Chair with Curved Backrest\* +

pneumatic height adjustment, 50 - 62 cm (19.7 - 24.4 in) // round seat and swivelling backrest // 5 castor safety base // rubber castors with roll stop function // comfortable upholstery and upholstered backrest // washable and hard wearing cover in white or coloured

**Basic configuration with black base**

**Art. 72100**

with floating design (no picture): the sitting surface tilts back and forth due to the weight shift

**Basic configuration with black base**

**Art. 72101**

### Gharieni Advance Chair with Armrests\*

pneumatic height adjustment, 50 - 63 cm (19.7 - 24.8 in) // extra wide 5 cross safety base // wide circular foot rest // rest as Art. 42517

**Art. 42575**

### Stuhl Advance mit Armrests\*

pneumatic height adjustment, 50 - 63 cm (19.7 - 24.8 in) // swivelling square seat, tilting // 5 castor safety base // rubber castors with roll stop function // ergonomic backrest // load dependent seat and rest damping // white or coloured synthetic leather cover

**Art. 42517**

### Gharieni Advance Chair without Armrests\* (no picture)

**Art. 42519**

### Gharieni Backrest Upholstery

for Advance chairs, removable

**Art. 42566**



Art. 72100



Art. 42575

Art. 42517



Art. 42505



Art. 42503



Art. 42506



Art. 42502

### Gharieni Chair with Round Seat\* +

pneumatic height adjustment, 50 - 62 cm (19.7 - 24.4 in) // swivelling round seat // 5 castor safety base // rubber castors with roll stop function // comfortable upholstery // washable and hard wearing cover // synthetic leather cover in white or coloured

**Basic configuration with black base**  
**Art. 42505**

Option: with tilting seat to take strain off thighs  
**Basic configuration with black base**  
**Art. 42508**

### Gharieni Stool with Round Seat\* +

pneumatic height adjustment, 50 - 62 cm (19.7 - 24.4 in) // swivelling round seat // 5 castor safety base // rubber castors with roll stop function // comfortable upholstery // washable and hard wearing cover // synthetic leather cover in white or coloured

**Basic configuration with black base**  
**Art. 42503**

### Gharieni Saddle Chair\* +

pneumatic height adjustment, 50 - 62 cm (19.7 - 24.4 in) // swivelling saddle seat // 5 castor safety base // rubber castors with roll stop function // comfortable upholstery // washable and hard wearing cover in white or coloured

**Basic configuration with black base**  
**Art. 42506**

Option: with tilting seat to take strain off thighs  
**Basic configuration with black base**  
**Art. 42509**

### Gharieni Saddle Stool\* +

pneumatic height adjustment, 50 - 62 cm (19.7 - 24.4 in) // swivelling saddle seat // 5 castor safety base // rubber castors with roll stop function // comfortable upholstery // washable and hard wearing cover in white or coloured

**Basic configuration with black base**  
**Art. 42502**

## Foot Switch for Height Adjustment

to change the height of the seat with the foot // can be integrated in several models of stool  
**Art. 42518**

## Circular Foot Rest

On stools and chairs with this symbol \* it is possible to select your personal favourite colour upholstery from our different trend colours.

**Art. 42500**

## \*Colour Upholstery

On stools and chairs with this symbol \* it is possible to select your personal favourite colour upholstery from our different trend colours.

**Colour surcharge stool\*\***  
**Colour surcharge chair\*\***

\*\*A double surcharge applies to colours from the Ferrari colour chart.

## +Colour Castor Base

Available in  
**black**  
**grey**  
**chrome**  
**titanium**

## Accessories for Stools and Chairs

**Universal stool cover**  
 white, choco, creme      **Art. 42520**


**Chair backrest cover**  
 white, choco, creme      **Art. 42530**

**Stool cover for saddle seat, anatomical, large**  
 white, choco, creme      **Art. 42523**

For saddle seat chair please order 2 x Art. 42530!




Art. 42518



Art. 42500





Devices

DEVICES

Chiropody





Case with Drill Alfa Spray Pro 40d Light

Alfa Spray Pro 40d Light // professional transport case Universal  
incl. supplementary trolley // LED-Slimline work lamp // folding stool  
// leg support (black)

## Alfa Spray Pro 4Od Light

digital display, rpm displayed in numbers and as a bar diagram // steplessly-adjustable spray volume // 3 memory buttons for individually-programmable rpm-levels // standby-button to activate or deactivate each function for a short time // removable water container (volume approx. 400 ml) // approx. 2,000-40,000 rpm // steplessly-adjustable rpm // clockwise and counter-clockwise rotation // micro motor and spray intensity separately adjustable // quiet and smooth-running operation // weight of the appliance: approx. 3.5 kg (8 lbs) // handpiece with 3 LEDs // adjustable light intensity

height: 14 cm // width: 27 cm // depth: 18.5 cm

height: 5.5 in // width: 10.6 in // depth: 7.3 in

**Art. 33158L**



**Art. 33158L**

## Professional Transport Case Universal

lockable // mounting system for installing a work lamp // external energy connection and inboard double socket outlet // removable instrument box with partition element // fixing for the handpiece // empty weight with/without supplementary trolley: approx. 4.5 kg (10 lbs)/approx. 5.7 kg (13 lbs)

height with/without supplementary trolley: 18 cm/22 cm // width: 47 cm // depth: 39 cm

height with/without supplementary trolley: 7.1 in/8.7 in // width: 18.5 in // depth: 15.4 in

**Art. 35231**



**Art. 35231**



**Art. 35232**

## Supplementary Trolley for Professional Transport Case Universal

**Art. 35232**

Accessories:

Foot Control  
steplessly-adjustable rpm

**Art. 33144**



**Art. 33144**



Case with Drill Alfa Spray Pro 40d

Alfa Spray Pro 40d // professional transport case Universal incl. supplementary trolley // LED-Slimline work lamp // folding stool // leg support (black)

## Alfa Spray Pro 40d

keypad with stepless rpm-adjustment // 3 memory buttons for individually-programmable rpm-levels // digital rpm-display // powerful compressor pump // Intramatic spray control integrated in the handpiece // finest nebulisation (steplessly-adjustable // brushless motor with up to 40,000 rpm // steplessly-adjustable rpm-control // clockwise/anticlockwise rotation // micro motor and spray-intensity separately-adjustable // quiet and smooth-running operation // volume of container: approx. 410 ml // weight of the appliance: approx. 3.2 kg (7 lbs)

height: 14 cm // width: 24 cm // depth: 20 cm

height: 5.5 in // width: 9.4 in // depth: 7.9 in

**Art. 33158**



**Art. 33158**

## Professional Transport Case Universal

lockable // mounting system for installing a work lamp // external energy connection and inboard double socket outlet // removable instrument box with partition element // fixing for the handpiece // empty weight with/without supplementary trolley: approx. 4.5 kg (10 lbs)/approx. 5.7 kg (13 lbs)

height with/without supplementary trolley: 18 cm/22 cm // width: 47 cm // depth: 39 cm

height with/without supplementary trolley: 7.1 in/8.7 in // width: 18.5 in // depth: 15.4 in

**Art. 35231**



**Art. 35231**



**Art. 35232**

## Supplementary Trolley for Professional Transport Case Universal

**Art. 35232**

## Accessories:

Foot Control  
steplessly-adjustable rpm

**Art. 33144**



**Art. 33144**



### Case with Drill Alfa Air Pro 30d

Alfa Air Pro 30d // professional transport case incl. supplementary trolley // LED Slimline work lamp // folding stool // leg support (colour on demand)



## Alfa Air Pro 30d

membrane keypad (soft keys) with digital display // standby function // Medically proven filter system // steplessly-adjustable suction with 2-level and strong turbine // steplessly-adjustable up to 30,000 rpm // clockwise/anticlockwise rotation // micro motor and suction motor separately-adjustable // quiet and smooth-running operation // power consumption: 400 W // max. 68 dBA // vacuum: 80 mbar/80 cm H<sub>2</sub>O // volume of dust bag: approx. 250 cm<sup>3</sup> // weight of the appliance: approx. 3.1 kg (7 lbs)

height: 12.4 cm // width: 21.2 cm // depth: 22.2 cm

height: 4.9 in // width: 8.3 in // depth: 8.7 in

### Art. 33130

## Professional Transport Case Universal

lockable // mounting system for installing a work lamp // external energy connection and inboard double socket outlet // removable instrument box with partition element // fixing for the handpiece // empty weight with/without supplementary trolley: approx. 4.5 kg (10 lbs)/approx. 5.7 kg (10 lbs)

height with/without supplementary trolley: 18 cm/22 cm // width: 47 cm // depth: 39 cm

height with/without supplementary trolley: 7.1 in/8.7 in // width: 18.5 in // depth: 15.4 in

### Art. 35231

## Supplementary Trolley for Professional Transport Case Universal

### Art. 35232

## Accessories:

### Foot Control

steplessly-adjustable rpm

### Art. 33144

## Fleece Dust Bags

micro fine-particulate air filter according to BIA test standard // the filter separates harmful and carcinogenic class II and III materials // according to the filter-regulation of the German trade association (ZH 1/487), 99.9% of the invisible fine-particulate air are caught by this textured depth-filter // the anti-microbial and biocompatible coating eliminates microorganisms having remained in the swarf // certified by European and US-authorities // unpleasant smells are avoided

### Art. 33143

1 pc.

### Art. 33143

5 pc.

### Art. 33143

10 pc.



Art. 33130



Art. 35231



Art. 35232



Art. 33144



Art. 33143





## Alfa Air QUANTUS

A quantum leap in suction technology

Higher, faster, further - this is the principle in the area of sports. This means, when applied to pedicure: quieter, stronger, lighter. The new Alfa Air Quantus combines each of these skills.

### QUIETER

The appliance is one of the quietest ones (only 52dBA) on the pedicure market. You have to listen twice to find out whether the appliance is operating.

### STRONGER

Operating with brushless micro motors, the appliance provides 5,000 to 30,000 resp. 40,000 rpm optimum torques. No „slipping“ of the milling, no „sticking“ of the micro motor even at low speeds with a bigger milling diameter.

Moreover, the brushless suction motor provides both a long service life (therefore 3 years guarantee) and an efficient suction capacity.

### LIGHTER

The appliance is a real „lightweight“ as it is not equipped with heavy turbines for the suction due to its revolutionary suction technology. This weight advantage provides much joy with regard to mobile pedicure and reduced workload in particular.

## Alfa Air QUANTUS 50

from approx. 5,000 to 40,000 rpm // connectible LED-illuminated handpiece // adjustable light intensity // LED-lighting in the back section of the handpiece for identifying standby-mode // big touch-display with indications of each function // suction filter control-system // combined memory functions (suction and rpm) // standby-switch on handpiece // steplessly-adjustable rpm-control // clockwise/anticlockwise rotation // quiet and smooth-running operation // power of brushless suction-turbine: 50 W // max. 52 dBA // volume of dust bag: approx. 296 cm<sup>3</sup> // weight of the appliance: approx. 2.8 kg (6 lbs)

height: 14 cm // width: 28.4 cm // depth: 26.5 cm

height: 5.5 in // width: 11.2 in // depth: 10.4 in

**Art. 33195**

### Alfa Air QUANTUS 30

from approx. 5,000 to 30,000 rpm // suction filter control-system // LED display of each function // membrane keypad with soft-key operation // memory functions (suction capacity and rpm) // brushless micro motor // LED-lighting for identifying standby-mode // standby-switch on the handpiece // steplessly-adjustable rpm-control // clockwise/anticlockwise rotation // quiet and smooth-running operation // power of brushless suction-turbine: 50 W // max 52 dBA // weight of the appliance: approx. 2.8 kg (6 lbs)

height: 14 cm // width: 28.4 cm // depth: 26.5 cm

height: 5.5 in // width: 11.2 in // depth: 10.4 in

**Art. 33190**



### Alfa Spray QUANTUS 40T

Integrated INTRAMatic spray guide // new medicine pump technology // Ergonomically shaped, lightweight handpiece // 40,000 rpm // 3 infinitely dimmable LEDs on the handpiece // standby switch for all functions on the handpiece // brushless micro motor // touch display // memory function (memory for speed & spray intensity) // dynamic adjustment of the stroke length (spray) by software control

height: 14 cm // width: 28.4 cm // depth: 26.5 cm

height: 5.5 in // width: 11.2 in // depth: 10.4 in

**Art. 33200**





Art. 33148

### Hybrid AirSpray Pro 40d

from approx. 2,000 to 40,000 rpm (both handpieces) // steplessly-adjustable rpm-control // clockwise/anticlockwise rotation // motor and spray intensity separately-adjustable // quiet and smooth-running operation // volume of container: approx. 400 ml // max. suction capacity: approx. 600 litres/min. // max. 68 dBA // volume of dust bag: approx. 250 cm<sup>3</sup> // weight of the appliance: approx. 5.1 kg (11 lbs) // spray-handpiece with 3 LEDs // adjustable light intensity

height: 15 cm // width: 32 cm // depth: 23 cm

height: 5.9 in // width: 12.6 in // depth: 9.1 in

**Art. 33148**



Art. 33158L

### Alfa Spray Pro 40d Light

from approx. 2,000 to 40,000 rpm // steplessly-adjustable rpm-control // clockwise/anticlockwise rotation // motor and spray intensity separately-adjustable // quiet and smooth-running operation // volume of container: approx. 400 ml // weight of the appliance: approx. 3.5 kg (8 lbs) // handpiece with 3 LEDs // adjustable light intensity

height: 14 cm // width: 27 cm // depth: 18.5 cm

height: 5.5 in // width: 10.6 in // depth: 7.3 in

**Art. 33158L**

### Alfa Spray Pro 40d

from approx. 2,000 to 40,000 rpm // steplessly-adjustable rpm-control // clockwise/anticlockwise rotation // motor and spray intensity separately-adjustable // quiet and smooth-running operation // volume of container: approx. 400 ml // weight of the appliance: approx. 3.5 kg (8 lbs)

height: 14 cm // width: 27 cm // depth: 18.5 cm

height: 5.5 in // width: 10.6 in // depth: 7.3 in

**Art. 33158**



**Art. 33158**

### Alfa Air Pro 30d

up to 30,000 rpm // steplessly-adjustable rpm-control // clockwise/anticlockwise rotation // motor and spray intensity separately-adjustable // power of the suction motor: up to 350 W // quiet and smooth-running operation // max. suction capacity: approx. 600 litres/min. // max. 68 dBA // volume of dust bag: approx. 250 cm<sup>3</sup> // weight of the appliance: approx. 3.3 kg (7 lbs)

height: 12.4 cm // width: 21.2 cm // depth: 22.2 cm

height: 4.9 in // width: 8.3 in // depth: 8.7 in

**Art. 33130**



**Art. 33130**



Art. 33185



Art. 33180

We have designed a new device series especially suitable to be used in treatment cabins relevant to the increased demands of the continuously changing pedicure market. To ensure maximum noise reduction is the most important characteristic for appliances to be used in studios or wellness-facilities.

Such an appliance is equipped with a low-noise suction motor (below 60 dBA) while providing optimum suction capacity. The appliance is available in three versions:

#### Alfa Air Pro 40dsI

from 2,000 to 40,000 rpm // steplessly-adjustable rpm // hand-piece with integrated suction and deactivation // clockwise/counter-clockwise rotation // 4 memory functions (for suction capacity and rpm) // membrane keypad with big display and operating hours counter // additional USB-port for a small lamp or cell phone with USB-port // each appliance with USB-port is applicable // brush-less micro motor with handpiece incl. light // sufficient illumination of the milling area by integrated LEDs // the light is connectible // power of the suction turbine: up to 300 W // suction capacity: 730 litres/min. // max. 62 dBA // volume of dust bag: 296 cm<sup>3</sup> // weight of the appliance: approx. 4.0 kg (9 lbs)

height: 12.5 cm // width: 32.0 cm // depth: 22.0 cm

height: 4.9 in // width: 12.6 in // depth: 8.7 in

#### Alfa Air Pro 40dsI // Art. 33185

#### Alfa Air Pro 40ds

from 2,000 to 40,000 rpm // steplessly-adjustable rpm // hand-piece with integrated suction and deactivation // clockwise/counter-clockwise rotation // 4 memory functions (for suction capacity and rpm) // membrane keypad with big display and operating hours counter // additional USB-port for a small lamp or cell phone with USB-port // each appliance with USB-port is applicable // brushless micro motor // power of the suction turbine: up to 300 W // suction capacity: 730 litres/min. // max. 62 dBA // volume of dust bag: 296 cm<sup>3</sup> // weight of the appliance: approx. 4.0 kg (9 lbs)

height: 12.5 cm // width: 32.0 cm // depth: 22.0 cm

height: 4.9 in // width: 12.6 in // depth: 8.7 in

#### Alfa Air Pro 40ds // Art. 33180



### Alfa Air Pro 30ds

from 2,000 to 30,000 rpm // steplessly-adjustable rpm // hand-piece with integrated suction and deactivation // clockwise/counter-clockwise rotation // 3 memory functions // membrane keypad with big display and operating hours counter // power of the suction turbine: up to 300 W // suction capacity: 730 litres/min. // max. 62 dBA // volume of dust bag: 296 cm<sup>3</sup> // weight of the appliance: approx. 4.0 kg (9 lbs)

height: 12.5 cm // width: 32.0 cm // depth: 22.0 cm

height: 4.9 in // width: 12.6 in // depth: 8.7 in

**Alfa Air Pro 30ds // Art. 33170**



Art. 33170

### Bracket for Handpieces

can be screwed directly onto pieces of furniture//easy storage - easy access//secure and stable support of the handpiece

**Art. 33161** bracket for Alfa 30 devices  
**Art. 33162** bracket for Alfa 40 devices



Art. 33161

Art. 33162







### Individual variety

Many customers want to design their treatment rooms individually according to their personal taste. For this reason, with its wide range of wood décors, Gharieni can offer you the possibility of adapting your cabins, beds and devices to your ambience.

Through wood or colour applications, for instance, it is possible for certain treatment towers, beds and equipment trolleys to be with each other which therefore combine to form a single unit.  
Use the possibility of your personal cabin!


**Ask about our current patterns and receive individual advice!**

## Gharieni Colour Chart

### PU-Upholstery



### Synthetic Leather



## Serge Ferrari Colour Chart

### „Stamskin® Top“ Synthetic Leather



### „Stamskin® One“ Synthetic Leather



Designed to resist the harshest environments (outdoor, medical, contract, yachting, etc.), Stamskin One offers exceptional technical qualities and a unique finish.

Stamskin One ensures even easier cleaning and disinfection thanks to Elastomère Serge Ferrari technology. This specific formulation is insensitive to oils (massage oils, sun cream, etc.), body fluids and alcohols (detergents), and also offers improved breathability.

15  
16

Moers, Germany | Sales + Showroom // Gharieni Group GmbH Gutenbergstr. 40 D-47443 Moers

Moers, Germany | Distribution + Service // Gharieni Group GmbH Am Schürmannshütt 24 D-47441 Moers

Fon: +49 - (0) 28 41 - 88 300 - 300 Fax: +49 - (0) 28 41 - 88 300 - 333 [www.gharieni.de](http://www.gharieni.de) [info@gharieni.com](mailto:info@gharieni.com)

Ettlingen, Germany // Gharieni Süd GmbH Einsteinstrasse 24 D-76275 Ettlingen

Fon: +49-(0)72 43-33 22-363 Fax: +49-(0)72 43-33 22-391 [ettlingen@gharieni.com](mailto:ettlingen@gharieni.com)

Nederweert | The Netherlands // Gharieni Nederland BV Bronsstraat 5 NL-6031TS Nederweert

Fon: +31 (0) 495 - 63 30 36 Fax: +31 (0) 495 - 62 66 63 [www.gharieni.nl](http://www.gharieni.nl) [info@gharieni.nl](mailto:info@gharieni.nl)

Heusden-Zolder | Belgium // Danielle G Cosmetics BVBA Schaltusstraat 60 B-3550 Heusden-Zolder

Fon: +32 (0) 11 - 45 10 54 Fax: +32 (0) 11 - 45 25 90 [www.gharieni.be](http://www.gharieni.be) [info@gharieni.be](mailto:info@gharieni.be)

Belfort | France // Gharieni France SARL 6, Rue de L'étang F-90000 Belfort

Fon: +33 (0) 3 39 03 39 47 Fax.: +33 (0) 3 39 03 39 48 [www.gharieni.fr](http://www.gharieni.fr) [info@gharieni.fr](mailto:info@gharieni.fr)

Dubai | UAE // Gharieni Middle-East The Platinum Tower Cluster I - No. 2102 Jumeirah Lakes Towers, PO Box 392642

Fon: +971 (0) 4 2 76 67 34 [www.gharieni.ae](http://www.gharieni.ae) [info@gharieni.ae](mailto:info@gharieni.ae)

New York | USA // Gharieni USA 45-31 Bell Blvd. #A Bayside, NY 11361

Fon: +1-855-378-4772 Fax: +1-718-279-0500 [www.gharieni.com](http://www.gharieni.com) [info@gharieni.us](mailto:info@gharieni.us)